

www.furnotel.cn

Kitchen Equipment

Vegavici

www.furnotel.cn



Furnotel®

China Head Office

Email: info@furnotel.cn Tel: +86 20 34709971

Fax: +86 20 34709972 Web: www.furnotel.cn

Add: 301 No.1 Headquarters Center Tian An Hi-Tech Ecological Park, Panyu Avenue, Guangzhou, China

UAE Branch

Email: info@shinobal.com Tel: +971 43958194

Web: www.furnotel.cn

Add: 2902-2903, Jumeirah Business Center 1, Cluster G, Jumeirah Lakes Towers, Dubai, UAE

This information has been carefully checked to be accurate. Guangzhou Shinelong Kitchen Equipment Co., Ltd. reserves the right to change product designs and specifications are subject to change without notice. Guangzhou Shinelong Kitchen Equipment Co., Ltd. has the appearance of the product of the album patents, unauthorized use of the reserve liability.

Furnotel®
Professional Commercial
**SNACK
EQUIPMENT**

Crepe Maker | Toaster | Griddle | Fryer | Waffle Baker | Snack Display | Salamander



“Designed to meet all the requirements of a modern, fast drink and snack service.”

Basic equipment for cafes, pubs and snack bars



Hotdog Grill

Never out of fashion, hot dogs are still the most popular snack over the world!

Waffle Machine

Non-stick coating surface, easy cleaning.

Fish Ball Maker

To cook 28 fish balls at a time.

Crepe Maker

Spiral heating element integrated under the cast iron plate.

Fryer


A range of countertop fryers with single or dual-tank from 4 to 12 litres of oil.

The series include but are not limited to machines for french fries, hot dog, popcorn, smoothie, etc.

Furnotel Snack Equipment Series

Wide use with high output

Top quality materials guarantee durability over time.



New emotions in your kitchen
It's actually very simple to make delicious snacks.

Maximum capacity, Minimum space

Countertop fryer series

Available with 1 or 2-tank, with or without drain valve, to meet different demands.



Selected
high quality
stainless steel



4L/6L/8L/12L gas/electric fryer, to meet the requirements of different kinds of food.

Fryer

Safe operation

Built-in heat element. Safe operation with the cover and plastic coated heat resistant handles.



Countertop Electric/Gas Fryer

Electric fryer

Bottom stainless steel heating element under the tank. Pilot light to indicate heating. Control by temperature limiter.

Gas fryer

Cast iron burners. Automatic burner ignition by means of an electromagnetic valve, with pilot light and thermocouple.

A range of countertop fryers

- Regulation by temperature limiter
- Protection against overheating
- Reasonable design for oil saving
- Meet the hygiene requirements



Fryer Series



FSEFR-0504B



FSEFR-0304C



FSEFR-0604



FSEFR-0304C

12L Electric
1-Tank Fryer

Dimension	290x440x410mm
Tank Volume	12L
Power	3.25KW
Voltage	220V/50Hz

FSEFR-0604

12L Electric
2-Tank Fryer

Dimension	580x440x410mm
Tank Volume	12Lx2
Power	6.5KW
Voltage	220V/50Hz



FSEFR-0504A



FSEFR-0304A



FSEFR-0204

FSEFR-0204 FSEFR-0504A FSEFR-0304A FSEFR-0504B FSEFR-0304B FSEFR-0504C

	4L Electric 1-Tank Fryer	4L Electric 2-Tank Fryer	6L Electric 1-Tank Fryer	6L Electric 2-Tank Fryer	8L Electric 1-Tank Frye	8L Electric 2-Tank Fryer
Dimension	220x390x370mm	460x390x370mm	260x410x285mm	540x410x285mm	260x410x340mm	540x410x340mm
Tank Volume	4L	4Lx2	6L	6Lx2	8L	8Lx2
Power	2KW	4KW	2.5KW	5KW	3.25KW	6.5KW
Voltage	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
With Temperature limiter						

FSGFR-0305

Gas 1-Tank Fryer

Dimension	290x520x445mm
Tank Volume	12.9L
Power	5.2KW
Gas Type	LPG/NG

FSGFR-0605

Gas 2-Tank Fryer

Dimension	580x440x450mm
Tank Volume	12.9Lx2
Power	5.2KWx2
Gas Type	LPG/NG



FSGFR-0305



FSGFR-0605



Bain Marie

3/4/6 pan electric bain marie
Completely made in stainless steel
Heating quickly and excellent thermal insulation
Friendly design drainage device, simple and convenient operation



FSEBM-0604



FSEBM-0706A



FSEBM-0706B

	FSEBM-0604	FSEBM-0706A	FSEBM-0706B
	Electric 3-Pan Bain Marie	Electric 4-Pan Bain Marie	Electric 6-Pan Bain Marie
Dimension	560x350x280mm	680x560x280mm	680x560x280mm
Power	1.8KW	1.8KW	1.8KW
Voltage	220V/50Hz	220V/50Hz	220V/50Hz
Pan	3	4	6
Gross Weight	12.5KG	20.5KG	20KG



FSEBM-1504



FSEBM-1004



FSEBM-1204B

	FSEBM-1004	FSEBM-1204A	FSEBM-1204B	FSEBM-1504
	Electric 3-Pan Bain Marie	Electric 4-Pan Bain Marie	Electric 5-Pan Bain Marie	Electric 6-Pan Bain Marie
Dimension	950x365x330mm	1215x365x330mm	1485x365x330mm	1755x365x330mm
Packing Size	1000x425x235mm	1265x425x235mm	1535x425x235mm	1825x425x235mm
Power	1KW	1.5KW	1.5KW	1.8KW
Voltage	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Net Weight	17KG	21KG	21KG	26KG
Gross Weight	18.5KG	23KG	23KG	28.5KG

Griddle

Evenly heat distribution

Healthy and quick cooking with the mirror smooth plate for a direct temperature transfer.



Countertop Electric / Gas Griddle

Available with one temperature control or dual-control type.
Completely made in stainless steel. Stainless steel heating elements.
Thermostat regulation and warming lamps, gas type with fire probing hole.

Quick heating and high efficiency
Chrome plated griddle board to reduce heating loss
High-quality anti-corrosion stainless steel, non-sticking grease

Chrome coating with 3 phases of polishing

Chrome coating with 3 phases of polishing
The chrome surface ensures an excellent temperature transfer

Chrome plated griddle board to reduce heating loss

Quick heating and high efficiency

High-quality anti-corrosion stainless steel, non-sticking grease



Electric Griddle

Heating indicator light
All in one or divided into 2 cooking zone, accurate temperature control



FSEGD-0605A



FSEGD-0705A

	FSEGD-0605A	FSEGD-0605B	FSEGD-0705A	FSEGD-0705B
	Electric Griddle With Temperature limiter	Electric Griddle Without Temperature limiter	2 Burners Electric Griddle With Temperature limiter	2 Burners Electric Griddle Without Temperature limiter
Dimension	550x450x230mm	550x512x262mm	730x500x230mm	730x500x230mm
Power	3KW	3KW	4.4KW	4.4KW
Voltage	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Gross Weight	28KG	30KG	41KG	41KG



FSGGD-0605A
FSGGD-0605B



FSGGD-0706

Gas Griddle

With backsplash and removable fat collection drawer
Stainless steel casing and cooking plate - approved for food contact



	FSGGD-0605A	FSGGD-0605B	FSGGD-0706
	2 Burners Gas Griddle With Temperature limiter	2 Burners Gas Griddle Without Temperature limiter	Gas Griddle
Dimension	550x500x520mm	550x500x520mm	730x550x520mm
Power	5KW	5KW	10KW
Gross Weight	48KG	48KG	66.5KG
Gas Type	LPG/NG	LPG/NG	LPG/NG

Salamander

Easy cleaning

The stainless steel food tray is completely removable.



Height adjustable

Move the mobile head to adjust the distance between food and heat elements



Enough heating elements

For fast and evenly heating

Electric Lift Salamander

Completely made in stainless steel

High performance heating elements placed under the mobile head

Adjustable heat of the cooking zones controlled by energy regulator

Movable top can adjust the distance between food and heating elements

Removable inside tray and grid



FSED-0505

Electric Salamander

Dimension

450x450x500mm

Power

2.8KW

Voltage


220V/50Hz



Electric/Gas Salamander

Accurate temperature control technology allows users to set temperature for a certain cooking period, so that the food will be evenly colored and achieve unified flavor.

It has a large space divided into several layers.



FSED-0603



FSED-0805
FSED-0604



FSGSD-0605



FSGSD-0905

	FSED-0603	FSED-0805	FSED-0604	FSGSD-0605	FSGSD-0905
	Counter Top Electric Salamander	Counter Top Electric Salamander	Counter Top Electric Salamander	Counter Top Gas Salamander	Counter Top Gas Salamander
Dimension	570x340x260mm	800x450x470mm	580x390x390mm	620x490x600mm	880x490x600mm
Power	7.2KW	2KW	4KW	6.5KW	9.5KW
Voltage	380V/50Hz	220V/50Hz	220V/50Hz	/	/
Gas Type	/	/	/	LPG/NG	LPG/NG
Net Weight	15KG	29KG	19KG	50KG	65KG
Gross Weight	17KG	32KG	21KG	55KG	70.5KG

Crepe Maker

Spiral heating element integrated under the cast iron plate
Thermostat 0 to 300°C , pilot light



FSECM-0505



FSECM-0905

	FSECM-0505	FSECM-0905
	1-Plate Electric Crepe Maker	2-Plate Electric Crepe Maker
Dimension	450x485x235mm	860x485x235mm
Power	2.2KW	3KW
Voltage	220-240V/50Hz	220-240V/50Hz
Gross Weight	21KG	36.5KG
Material	Stainless Steel 201,1.0	Stainless Steel 201,1.0

Toaster



FSECT-0404



FSECT-0303



FSECT-0403

	FSECT-0404	FSECT-0303	FSECT-0403
	Electric Conveyor Toaster	Electric 4-Slice Commercial Toaster	Electric 6-Slice Commercial Toaster
Dimension	368x418x400mm	300x330x240mm	430x330x240mm
Power	2.3KW	2.2KW	3.3KW
Voltage	220V/50Hz	110V-120V or 220-240V/50-60Hz	220-240V/50-60Hz
Net Weight	20.0KG	7.9KG	12.0KG

Panini Grill

Electric iron panini grill

To cook sandwich or hamburgers thoroughly, without reduction, retaining all the juice and vitamins
Fitted with cast iron plates for perfectly heat transfer



Heat-resistant handles, anti-hot and safer



Heating elements under each plate (grooved)



FSEPG-0604A



FSEPG-0604B



FSEPG-0303



FSEPG-0403

	FSEPG-0303	FSEPG-0403	FSEPG-0604A	FSEPG-0604B
	Electric Iron Grooved Panini Grill	Electric Iron Grooved Panini Grill	Electric Iron Grooved Panini Grill	Electric Iron Flat Panini Grill
Dimension	290x305x210mm	410x305x210mm	570x350x210mm	570x350x210mm
Working Area	214x214mm	338x220mm	2x214x214mm	2x214x214mm
Voltage	110-120V or 220-240V/50-60Hz	110-120V or 220-240V/50-60Hz	110-120V or 220-240V/50-60Hz	110-120V or 220-240V/50-60Hz
Power	1.75KW/120V, 1.8KW/230V	1.75KW/120V, 2.2KW/230V	2x1.75KW/120V, 3.6KW/230V	2x1.75KW/120V, 3.6KW/230V
Net Weight	13KG	19KG	25KG	25KG

Hotdog Grill

Stainless steel polished roller
Respectively controlled by two independent motors
Heating elements in stainless steel
Power control system, pilot lights.



Cooked/uncooked separated
Store up to 40 sausages in the 2-section basket



FSEHG-0602



Energy saving
Respectively controlled by two independent motors



FSEHG-0603



FSEHG-0405



FSEHG-0405

Hotdog Grill

Dimension	390x467x300mm
Power	690W
Voltage	220V/50Hz
Rollers	/
Net Weight	9KG
Material	Stainless Steel

FSEHG-0602

5-Roller Hotdog Grill

Dimension	580x225x225mm
Power	430W
Voltage	220V-240V/50-60Hz
Rollers	5
Net Weight	7KG
Material	Stainless Steel 304 Square Plate 430

FSEHG-0603

7-Roller Hotdog Grill

Dimension	580x305x225mm
Power	590W
Voltage	220V-240V/50-60Hz
Rollers	7
Net Weight	13KG
Material	Stainless Steel 304 Square Plate 430

Waffle Machine



Stainless steel body with unique L-shaped design
Durable bake plate with sufficient large baking area
Regulation by thermostat, constant temperature heating



	FSEWM-0303	FSEWM-0304A	FSEWM-0304B
	Desktop Pottery Waffle Machine	Desktop Six Grid Waffle Machine	Waffle Maker
Dimension	280x340x255mm	310x380x255mm	320x380x266mm
Power	1600W	2000W	2000W
Voltage	220V-240V/50-60Hz	220V/50Hz	220V/50Hz



Smoothie Blender



The fixed base for a perfect stability, to assure safe working
High efficiency cooling structure, ensure quickly lose the heat generated by high frequency using

	FSESB-0202A	FSESB-0202B	FSESB-0202C	FSESB-0302
	Smoothie Blender	2L Smoothie Blender	1.5L Juice Smoothie Blender With Sound-proofing Cover	Orange Press
Dimension	205x230x510mm	205x230x510mm	229x229x432mm	300x190x340mm
Power	1200W	1600W	1500W	180W
Voltage	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Capacity	2L	2L	1.5L	/
Net Weight	5.5KG	4.8KG	6KG	20KG

Popcorn Machine

Durable metal construction
Food grade stainless steel pot, higher production
Thermal insulation design, closed heating and constant temperature device in the bottom, to keep the popcorn warm, dry and tasty



FSPMC-0604



FSEPM-0604A



FSEPM-0904



FSEPM-0504



FSEPM-0604C



FSEPM-0604B

	FSEPM-0604A	FSEPM-0504	FSEPM-0604B	FSEPM-0604C	FSEPM-0904	FSPMC-0604
	8 Ounces Electric Popcorn Machine	8 Ounces Electric Popcorn Machine	8 Ounces Electric Popcorn Machine	Food Warming Showcase	8 Ounces Electric Popcorn Machine with Warming Showcase	8 Ounces Popcorn Machine Cart
Dimension	560x420x680mm	500x360x620mm	590x420x780mm	580x420x740mm	920x420x740mm	500x360x680mm
Power	1.3KW	1.3KW	1.3KW	0.78KW	1.9KW	/
Voltage	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	/
Packing Dimension	640x500x780mm	600x460x710mm	650x510x870mm	640x500x860mm	990x510x840mm	590x450x860mm
Capacity	8OZ	8OZ	8OZ	/	8OZ	8OZ
Weight	15.8KG	15.3KG	24.5KG	22.8KG	38KG	23KG
Temperature Range	30~245°C	30~245°C	30~245°C	30~85°C	30~245°C	/
Material	Cold Plate+ Heatproof Glass+ Stainless Steel Pot	Cold Plate+ Heatproof Glass+ Stainless Steel Pot	Cold Plate+ Heatproof Glass+ Stainless Steel Pot			

Cotton Candy Machine

High efficiency working head, high-speed and stable operation
520mm diameter of operation tray avoiding sugar waste, practical and easy cleaning
Transparent plastic cover, keep clean



	FSECC-0505A	FSECC-0606	FSECC-0505B
	Electric Cotton Candy Machine	Cotton Candy Machine Cover	Cotton Candy Machine With Cart And Cover
Dimension	520x520x435mm	530x530x360mm	The Cotton Candy Machine Dimension: 520x520x490mm The Cart Dimension: 445x750x720mm The Cover Dimension: 530x530x360mm
Heating Power	950W	/	950W
Motor Power	80W	/	80W
Voltage	220V/50~60Hz	/	220V/50~60Hz
Output	4-6 pcs/min	/	4-6 pcs/min
Net Weight	13KG	1KG	33KG
Gross Weight	14.5KG	/	34.5KG
Material	Stainless Steel		Stainless Steel

Sealing Machine



	FSESM-0303	FSESM-0504	FSESM-0304
	Manual Cup Sealing Machine	Auto Cup Sealing Machine (for bowl)	All Auto Cup Sealing Machine
Dimension	270x270x590mm	510x440x610mm	340x350x630mm
Packing Size	340x300x530mm	450x500x640mm	470x880x800mm
Power	270W	700W	350W
Voltage	220V/50Hz	220V/50Hz	220V/50Hz
Cup height	110mm	/	/
Net Weight	9.5KG	30KG	25KG
Gross Weight	12.7KG	33.9KG	28.5KG
Diameter of Sealing	72mm,76mm,95mm	/	/



Milk Shaker

This milk shaker is the ideal appliance to make milk shake
It's long lasting equipment for commercial use and is equipped with a power motor



	FSEMS-0202A	FSEMS-0202B
	Single Head Milk Shaker	Double Head Milk Shaker
Dimension	190x160x520mm	230x230x520mm
Packing Dimension	255x290x600mm	330x340x600mm
Power	150W	150+150W
Voltage	220-240V/50Hz	220-240V/50Hz
Output	30 cups/hr	60 cups/hr
Speed	8500 cycles/min	8500 cycles/min
Net weight	4.7KG	8.2KG
Gross Weight	6.3KG	10KG
Material	Stainless Steel Constration; Easy Operate; Auto Start With Main Switch; Overload Protected	

Snack Display

Glass walls at four sides for clear observation
The steam warmer maintains constant temperature to keep freshness
Divided layers setting enables reasonable use of space



FSEWS-0705B



FSEDS-0404



FSEDS-0505



FSEWS-0504



FSEWS-0705A

	FSEDS-0404	FSEDS-0505	FSEWS-0504	FSEWS-0705A
	5 Layers Food Display Steamer	6 Layers Food Display Steamer	Luxurious Warming Showcase	3-Layer Food Warming Showcase
Dimension	380x400x745mm	457x518x825mm	450x350x500mm	660x480x600mm
Voltage	220-240V	220-240V	220V/50Hz	220V/50Hz
Power	0.9KW	1.2KW	0.5KW	0.91KW
Temperature Range	30~85°C	30~85°C	30~85°C	30~85°C
Net Weight	23KG	29KG	14.4KG	17KG



FSEWS-0905



FSEWS-0704



FSEWS-0706

	FSEWS-0905	FSEWS-0704	FSEWS-0705B	FSEWS-0706
	Electric Warming Showcase	Electric Warming Showcase	Luxurious Warming Showcase	Electric Warming Showcase
Dimension	900x480x590mm	660x437x635mm	650x490x580mm	730x560x700mm
Voltage	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Power	1.84KW	1.2KW	1.2KW	0.72KW
Gross Weight	69KG	53.5KG	43KG	76KG
Temperature Range	30~85°C	30~85°C	30~85°C	30~85°C

Commercial Induction Hob Cooker

Glass cooking zone, easy to clean
Unique design to prevent flow-water into the cooker
Fast temperature rising, designed for all places with high output



FSECH-0404



FSECH-0604

FSECH-0404

Electrical
Ceramic Hob

Dimension	350x440x100mm
Voltage	220-240V/ 50-60Hz
Power	2KW
Net Weight	4.8KG
Glass size	280x280mm

FSECH-0604

Electrical
Ceramic Hob

Dimension	600x440x100mm
Voltage	220-240V/ 50-60Hz
Power	4KW
Net Weight	8.5KG
Glass size	530x280mm

Other Snack Equipment

Essential for your breakfast buffets, the series snack machines are be the most obvious choices
Waffle, fish cake or 2 eggs, then with a cup of milk or a glass of orange juice, to make a light breakfast.



FSEFB-0304



FSEFM-0403



FSEEB-0402

FSEFM-0403

Single Head
Fish Cake Machine

Dimension	380x340x255mm
Voltage	220V/50Hz
Power	1.6KW
Net Weight	11KG

FSEFB-0304

Electric
Fish Ball Maker

Dimension	250x440x200mm
Voltage	220V/50Hz
Power	2KW
Net Weight	9KG

FSEEB-0402

6 Egg Boiler

Dimension	370x230x300mm
Voltage	220-240V/50-60Hz
Power	2.5KW
Net Weight	5KG